

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
1	BRS	285	beam with support and device with signal and electrode with beam and contact	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 23:03			0
2	BRS	98	beam with support and device with signal and electrode with beam and contact and beam with insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 05:04			0
3	BRS	11	beam with support and device with signal and electrode with below with beam and contact and beam with insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 05:05			0
4	BRS	4	beam with support and device with signal and electrode with beneath with beam and contact and beam with insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 05:13			0
5	BRS	20	beam with support and device with signal and electrode with under with beam and contact and beam with insulat\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 05:14			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
6	BRS	28	mems and beam with support and device with signal and electrode with beam and contact	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 20:23			0
7	BRS	36	mems and beam with support and beam with signal and electrode with beam and contact	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 20:24			0
8	BRS	28	mem and beam with support and device with signal and electrode with beam and contact	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/10 20:51			0
9	BRS	2	beam with support and device with signal and electrode with beam and contact and micromechanical near switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 22:25			0
10	BRS	5	("5611940" "5638946" "6069540" "6242843" "6331257").PN.	USPAT	2003/04/12 22:22			0
11	BRS	0	6495387.URPN.	USPAT	2003/04/12 22:24			0
12	BRS	1	beam with support and device with signal and electrode with beam and contact and micro adj mechanical near switch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 22:25			0

	Type	Hits	Search Text	DBs	Time Stamp	Comments	Error Definition	Errors
13	BRS	62	beam with support and device with signal and electrode with beam and contact with between with electrode	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/04/12 23:15			0